0

Downloads

NVMS7000.pkg



Knowledge Base KB – NVMS7000 (Mac) Quick Guide






 Open the Browser, go to the LTS website. <u>www.ltsecurityinc.com/downloads</u>, and Download the NVMS7000 (Mac)

Software	Description	Platform	Download
NVMS7000	CMS client software	Platinum Series	Windows/ Mac

Installation

- After finishing the download, Open **Downloads** window folder first.
- Right Click on top of the <u>NVMS7000.pkg</u> file and choose Open With > Installer (default)
- Choose Open Anyway to install it.
 During the installation process, it may ask 4 times of the Mac User & password. That is normal.
 Please continue the installation until it finished.



5. Find out the NVMS7000 software from your Mac application folder.





NVMS7000



The word from Jimmy:

This Quick Guide is for the training purpose, it's not the User Manual. I digest most useful information, polish again. If you want more information, please find the User Manual from the Help. Note: The Access Control Module is not available for NVMS7000 (Mac).







□ ≜ Wed 10:11 PM Q :=

Super User: For the first time, you need to create the Super User account & password first. Please always remember the user name & password.

Important: During the software agreement, we won't provide the password recovery from the forgotten. Only when the software system file has been removed that will release the lock but also cost to lose all the settings as usual.

Monitor Resolution: Recommend resolution greater than 1024x768. If your monitor resolution size is less than this size (ie 1280x720 Laptop), you may click ok to open it but you have to switch to the Maximize size in order to see all the buttons.



€ NVMS7000 File System View Tool Help

Synchronize Device Time

Clould P2P Device

HIDDNS

Add Offline Device

Add Device

Go to Control Panel > **Device Management**. Click **Add** on the top to create the connection.

Adding Mode: choose IP/Domain at the top:

Nickname: (Location nickname: i.e. Home)
Address: IP address or xxxxxxx.dvrlists.com

Port: 8000 (default) User Name: admin (default)

Password: ······

Click Add when finish.

Net Status

The Net Status tells the device is **Online** or Offline.

If it is the first connection, please make sure enter the correct password when you add it.



Add Cancel

Group

Device Management > Group

The Group Management is for the Main View. This function controls display or hides some cameras from the Main View. By default, if you add the device correctly, it should automatically import it as a Group.

Create: If your group is not created by password error, you can click the folder to re-create it. Click the import button to add more camera. You may combine 2 NVR into one viewing group. (More cameras require more RAM and bandwidth)



Sync Name Function: Right click on the **Encoding Channel** > <u>Update Camera Name</u>. It will sync the name from the device.



Main View

How to access the LiveView?





- Select Camera from the bottom left, drag and drop into the window.
 You also can drag and drop a "Folder" to the window, then it will display all the camera at once.
- To change the display layout, please choose the bottom right icon.

🖃 🥙 cademo

Right click on the video, you should see more functions.



Note:

If your mice only have one button, Press & Hold the Control Key from the keyboard and click on top of the video, will do the same.



How to Create the Custom View?

- 1. Click [+] to Create a custom view
- 2. Enter the View Name
- 3. Click Add
- 4. Go bottom right to define the display layout
- 5. Select the Window Division
- 6. Drag and Drop Camera into each window.
- 7. Click Save View button to save current view.





You can use this method to define your favorite view layout or combine multiple DVR view into the one screen. Wireless network connections suggest control within 8 channels for the better performance in mainstream condition.

How to open the Custom View?

Double click your customer view name (ex. Magic 6)

Then, it should display the custom view.









How to access

PTCloud account?

Device Management > Cloud P2P Device > Login

Enter the PTCloud User Email & Password & Login


Jimmy's Suggestion)

Use Login only. Don't Register from here.

If you want register, use your phone to register instead that is more reliable. (Mobile App: LTS Connect)

fter euergeelegin ge heek to the Main Vieus

After success login, go back to the **Main View**. Now, you should see the camera with the @ symbol. That is the Cloud access camera symbol.



Tip: For the low bandwidth environment, you may change the video quality to fluent instead. Go to **System Configuration** > **Image** > **Auto-change Stream Type**. **Disable the Auto-Change**. Then back to the Main view. Right click on top of the camera name. You may choose video quality to High Def or fluent. Then drag the camera into the window to view it.



PTCloud Encrypted Video Stream


Device Mangement > Group > Pick a camera > Modify (see Detail in Appendix A.3, Pg 8)

If Video got Encrypted by PTCloud connection, Where to Enter the Encryption Key? If the device has been enabling the PTCloud Encryption, you may enter the Stream Key in here (the Red Arrow Tag), then use Copy To... to all channels needed. OK

Other PTCloud Related Note:

Although PTcloud provides the easy access solution without the Port forwarding from the Router Configuration. However, there are couple things which is not provided.

1. No Video Download. PTCloud won't support the video download. 2. Remote Playback won't support fast forward or the speed control. 3. Two-Ways Audio support is limited (based on the model & actual network connection)



Other Information

How to enable 2nd Auxiliary Monitor?

How to use Digital Zoom?

How to Sync/Modify the Camera Name? How to enter the Encrypted Video key?

Where is my saved video file?


How to use VCA Search in the Remote Playback?

Max channel view up to 64 channels.

(Right click > Open Digital Zoom & use Mouse Wheel)

(See Appendix A.1, p8) (See Appendix A.3, p8)

(See Appendix B, p9)
(See Appendix C, p10)




Remote Playback




View Menu > Remote Playback

This is the Remote Playback Window

- Select the Camera first.
 More camera loading needs more RAM and bandwidths to support it.
- Select the Date/Time





3. Click Search, then it should playback now


Note) recommend using the LAN connection instead of the wireless network. Multiple channel playback requires a powerful mac.



Important) Please change the Saving Path before backup.
Control Panel > System Configuration > File (see next page)

- 1. Click the Backup icon.
- 2. Select the file check box.
- 3. click Download





Multiple Channel Playback & Backup

During the playback, you may select this backup button to perform multiple channel backup at the same time.



Jimmy's Suggestion) you need a powerful mac to perform multiple channel backup. Otherwise, please use the regular download instead.

Where is my file?

If you didn't change the default saving file path, it will save to your program folder. (See Appendix B, Pg 9)





System Configuration

Here are the most useful configuration changes: Go to Control Panel > System Configuration

System Configuration > File Saving File Path

Click ... to changing Saving Path.

System Configuration > General Auto-Login

That will skip the Login Window every time when you open the app.

System Configuration > General Network Performance

If your network is slow, please set to Normal

System Configuration > Live View and Playback


☑ Disconnect Background Videos in Single Live View


System Configuration > Image Auto-change Stream Type


By default, this function is enabled.

For some reason, you must set to the video stream to Main Stream. Disable Auto-change Stream Type will help. After disable and save it. Go back to the Main View.Make sure to stop the video first.

Right click on top of the camera name, then you should see the menu







System Configuration > Image VCA Rule


By default, this function is enabled.


After disabled, there is no more Blue/Green Lines (VCA) overlay on top of the view.



Remote Configuration

Screen Resolution size requires more than 1280x800. Otherwise, you may not able to see the entire window.





Appendix





Appendix A: How to Re-create the View Group?

Go to Device Management > Group

The View Group controls the Main View camera lists. You can show or hide the camera from here. If your view Group folder is empty, then you won't see anything from the Main View.

Make sure the device Net Status is Online. (see Pg 2)

- 0. Select Folder+ icon.
- 1. Check <u>Create Group by Device Name</u> box at the front.
- Select the device you want to create.
- 3. Click OK
- 4. Then, your view Group will show up



Tip:)

If You want to create a New Group without anything, just click the folder icon and enter the Group name manually, then OK. Click Import button, then you can decide the camera display orders. You also can import other devices camera into the same group. When you pull up from the Main View, it will display all at the same time.

A.2 How to Change the Camera Name?

Go to Device Management > Group

How to Sync the Camera Name?

- 1. Select Group tab
- 2. Right click on Encoding Channel
- 3. Click Update Camera Name
- 4. After a few secs,
- 5. Then, it will Sync the device name and overwrite the exists.


A.2 How to Modify Camera Name?

- Select Camera name from the Right Panel
- 2. Click **Modify** on the top.
- 3. Change Camera Name from here, then **OK**

A.3 Video got Encrypted by PTCloud connection, Where to Enter the Encryption Key? If the device has been enabled the PTCloud Encryption, you may enter the Stream Key in here (the Red Arrow Tag), then use Copy To... to all channels needed. **OK**

A.4 How to Remove unnecessary camera?

Select the channel and press the Delete button / DEL key from the keyboard.





Appendix B: Where is your Saved file?

- Go to File menu on the top.
- 2. Choose Open Video File.


NVMS7000 File System View Tool Help Open Image File Open Log File Open Log File Search... Device Management Device Management


Video Files Window

- 1. Select Camera first
- 2. Define the Search range Start / End Time
- Search
- 4. Select the Video File.
- Click Save As on the top right window.

Then, the Save As the window is prompted.

- 6. Change Where to save?
- 7. Save







Appendix C: VCA Search in the Remote Playback (KB copy from the PC version)

Use VCA Search in the Remote playback, it helps to accelerate the search result but requires a more powerful PC.





- VCA Search only supports the H.264 video format file and Monitor DPI to 100%.
- 1. Play video first. Select the VCA button. It will bring up the VCA Search Panel at top.
- 2. Select Motion Detection (LineCross & Intrusion search do require pre-enable recording with VCA LineCross/Intrusion from the camera)
- 3. Select +
- 4. Draw an area.
- 5. Adjust the sensitivity
- 6. Click Search
- 7. Then, you should notice the Result shows something different.
- 8. Click X to close it.

