



Total Solutions for Security Professionals

SMD-Smart Motion Detection

Human and Vehicle Smart Search

Based on AI Deep Learning Algorithms



LTS SAPHIRE

**VIDEO SURVEILLANCE
PRODUCT CATALOG**



LTS PROTECT



**SCAN FOR MORE
PRODUCT DETAIL**


LTS reserves the right to modify, add or remove sale items. Prices & product specifications may change without prior notice. LTS is not responsible for typographical errors. images may be used for illustration purpose only and do not represent actual products. Tax not included. Terms and conditions may apply.

www.LTSecurityinc.com

S-VMS


LTS Sapphire offers free S-VMS, a video management system that supports up to 256 cameras

- Live view, play back and back up for multiple locations
- Supports device adding using P2P S/N
- Supports SMD (Smart Motion Detection) Human and Vehicle smart search
- Supports general motion smart search for selected areas



SMD-Enhance Detection and Searching

Search Humans & Vehicles within your footage in seconds using SMD Smart Search



Network Video Recorder

LTN6104-P4	LTN6208-P8	LTN6216-P16	LTN6416 LTN6416-P16
			
			
• 4 CH 4K NVR • 4 Built-in PoE • H.265/H.264 • 80MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/ VGA(1920x1080) • 1 SATA up to 6TB • 100M, 1 Network Port	• 8 CH 4K NVR • 8 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/ VGA(1920x1080) • 2 SATA up to 12TB • Audio I/O: 1CH/1CH, RCA • Alarm I/O : 4/ 2 • 10/100/1000M, 1 Network Port	• 16 CH 4K NVR • 16 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/VGA(1920x1080) • 2 SATA up to 12TB • Audio I/O, 1CH/1CH, RCA • Alarm I/O : 4/ 2 • 10/100/1000M, 1 Network Port	• 16 CH 4K NVR • No Built-in PoE/16 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/VGA(1920x1080) • 4 SATA up to 24TB • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 4 • 10/100/1000M, 2/1 Network Port

LTN6432 LTN6432-P16	LTN6832	LTN6864-R
		
		
• 32 CH 4K NVR • No Built-in PoE/16 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/VGA(1920x1080) • 4 SATA up to 24TB • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 4 • 10/100/1000M, 2/1 Network Port	• 32 CH 4K NVR • No Built-in PoE • H.265/H.264 • 320 Mbps Bandwidth Max • Resolution: 8MP/ 4K • 2 HDMI(4K: 3840x2160)/ 2 VGA(1920x1080) • 8 SATA up to 80TB, 1 eSATA Port • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 6 • 10/100/1000Mbps, 2 Network Port	• 64 CH 4K NVR • No Built-in PoE • H.265/H.264 • 384Mbps Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160), 1 HDMI(4K: 3840x2160)/VGA(1920x1080) • 8 SATA up to 64TB, 1 eSATA Port • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 8 • RAID 0/1/5/10 • 10/100/1000Mbps, 2 Network Port

True Night Color

- Illuminate your nighttime image with brilliant True Night Color Technology
- View low-light environments in full color with reliable detail like never before

TRUE NIGHT COLOR CAMERA



TRADITIONAL CAMERA




True Night Color IP Camera

LTDHIP3542W-28ISMLC LTDHIP3542W-36ISMLC	LTDHIP7542W-36MC	LTDHIP8542W-28MLC LTDHIP8542W-36MLC
• 4MP • H.265+ • 2688 x 1520@30fps • 2.8/3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux, LED up to 66ft • WDR 140dB, 3D DNR, BLC, IP67 • PoE, Face Detection, Perimeter Protection, People Counting • Micro SD Slot up to 256GB • Built-in Mic	• 4MP • H.265+ • 2688 x 1520@30fps • 3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux • WDR 140dB, 3D DNR, BLC, IP67, IK10 • PoE, Face Detection, Perimeter Protection, People Counting • Audio I/O: 1/1, Alarm I/O: 1/1 • Micro SD Slot up to 256GB	• 4MP • H.265+ • 2688 x 1520@30fps • 2.8/3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux, LED up to 66ft • WDR 140dB, 3D DNR, BLC, IP67, IK10 • PoE, Face Detection, Perimeter Protection, People Counting • Audio I/O: 1/1, Alarm I/O: 1/1 • Micro SD Slot up to 256GB
Junction Box : PFA130-E Wall Mount : PFB204W	Junction Box : PFA137 Wall Mount : PFB203W	Junction Box : PFA130-E

SMD-Push Notification

Reduce False Alarms + Receive Instant Notifications

- Smart Motion Detection utilizes AI Deep Learning Algorithm by filtering out false alarms and providing precise human and vehicle detection
- Access instant push notifications for remote live view and playback



SMD IP Camera

LTDHIP3742W-28ISMD LTDHIP3742W-36ISMD	LTDHIP3942W-28ISMD	LTDHIP7742W-28MD LTDHIP7742W-36MD
• 4MP • H.265+ • 2688 x 1520@30fps • 2.8/3.6mm Fixed Lens • Color 0.05 lux, BW 0 lux, IR LED up to 165ft • WDR 120dB, 3D DNR, PoE • BLC, IP67, IK10 • 12V DC/ PoE, Perimeter Protection, SMD • Micro SD Slot up to 256GB • Built-in Mic	• 4MP • H.265+ • 2688 x 1520@30fps • 2.8mm Fixed Lens • Color 0.05 lux, BW 0 lux, IR LED up to 165ft • WDR 120dB, 3D DNR, PoE • BLC, IP67, IK10 • 12V DC/ PoE, Perimeter Protection, SMD • Micro SD Slot up to 256GB • Built-in Mic	• 4MP • H.265+ • 2688 x 1520@30fps • 2.8/3.6mm Fixed Lens • Color 0.05 lux, BW 0 lux, IR LED up to 165ft • WDR 120dB, 3D DNR, PoE • BLC, IP67, IK10 • 12V DC/ PoE, Perimeter Protection, SMD • Audio I/O: 1/1, Alarm I/O: 1/1 • Micro SD Slot up to 256GB
Junction Box : PFA130-E Wall Mount : PFB203W	Junction Box : PFA139 Wall Mount : PFB204W	Junction Box : PFA136 Wall Mount : PFB203W



Starlight IP Camera 4MP

LTDHIP7642NW-28M LTDHIP7642NW-36M	LTDHIP3642NW-28ISM LTDHIP3642NW-36ISM
	
	
• 4MP • H.265+ • 2560 x 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.08 lux, BW 0 lux • IR Range up to 98ft • WDR, PoE • IP67, IK10, General IVS • Micro SD Slot up to 256GB	• 4MP • H.265+ • 2560 x 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.08 lux, BW 0 lux • IR Range up to 98ft • WDR, PoE, 265+ • IP67, General IVS • Micro SD Slot up to 256GB • Built-in Mic
Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA130-E Wall Mount : PFB203W

Starlight IP Camera 8MP

LTDHIP7682NW-28M LTDHIP7682NW-36M	LTDHIP3682NW-28ISM LTDHIP3682NW-36ISM
	
	
• 8MP/ 4K • H.265+ • 3840x2160@15fps • 2.8/3.6mm Fixed Lens • Color 0.09 lux, BW 0 lux • IR Range up to 98ft • WDR, PoE • IP67, IK10, General IVS • Micro SD Slot up to 256GB	• 8MP/ 4K • H.265+ • 3840x2160@15fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • WDR, PoE • IP67, General IVS • Micro SD Slot up to 256GB • Built-in Mic
Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA130-E Wall Mount : PFB203W

Dual Lens IP Camera

Cover a wider area with a single camera.
View up to 220° with two channels for maximum coverage

APPLICATION :

- Parking Lot
- Campus
- Hallway
- Hotel Lounge

Total 220°



Dual Lens

LTDHIP3922W-28ISM


• 2 x 2MP Dual Lens • H.265/H.264+ • 2 x 110° = Total Angle of View 220° • 1920x1080@30fps • 2.8 Fixed Lens • Color 0.09 lux, 0.07 lux, BW 0 lux • IR Range up to 66ft • WDR, PoE • IP67, IK10 • Micro SD Slot up to 128GB • Built-in Mic
Junction Box : PFA137 Wall Mount : PFB203W

Fixed Lens IP Camera

LTDHIP3252W-28	LTDHIP3252W-36	LTDHIP8652W-36	LTDHIP3662W-28ISM LTDHIP3662W-36ISM	LTDHIP7662W-28M LTDHIP7662W-36M	LTDHIP8662W-28M LTDHIP8662W-36M	LTDHIP3682W-28ISM LTDHIP3682W-4ISM
						
 	 	   	  	  	    	    
• 5MP • H.265+ • 2592 × 1944@20fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR LED up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67 • IVS	• 5MP • H.265+ • 2592 × 1944@20fps • 3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR LED up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67 • IVS	• 6MP • H.265+ • 3072x2048@20fps • 2.8/3.6mm Fixed Lens • Color 0.04 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • Micro SD Slot up to 128GB • Built-in Mic	• 6MP • H.265+ • 3072 × 2048@20fps • 2.8/3.6mm Fixed Lens • Color 0.04 lux, BW 0 lux • IR LED up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • PoE, IVS, Face Detection • Micro SD Slot up to 128GB • Audio I/O: 1/1, Alarm I/O: 1/1	• 6MP • H.265+ • 3072 × 2048@20fps • 2.8/3.6mm Fixed Lens • Color 0.04 lux, BW 0 lux • IR LED up to 131ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS • Micro SD Slot up to 128GB	• 8MP/ 4K • H.265+ • 3840 × 2160@15fps • 2.8/4.0mm Fixed Lens • Color 0.06 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • Micro SD Slot up to 128GB • Built-in Mic	• 8MP/ 4K • H.265+ • 3840 × 2160@15fps • 2.8/4.0mm Fixed Lens • Color 0.06 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • Micro SD Slot up to 128GB • Built-in Mic
Junction Box : PFA130-E / PFA13A-E Wall Mount : PFB204W	Junction Box : PFA134	Junction Box : PFA130-E Wall Mount : PFB204W	Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA130-E	Junction Box : PFA130-E Wall Mount : PFB204W	Junction Box : PFA130-E Wall Mount : PFB204W

Motorized Lens IP Camera

LTDHIP3663W-ISZ	LTDHIP7663W-SZ	LTDHIP9663W-SZ	LTDHIP3683W-ISZ	LTDHIP7683W-SZ	LTDHIP9683W-SZ
					
    	    	    	     	     	     
• 6MP • H.265+ • 3072 × 2048@20fps • 2.7mm-13.5mm Motorized • Color 0.03 lux, BW 0 lux • IR LED up to 164ft • True WDR, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • Micro SD Slot up to 128GB • Built-in Mic	• 6MP • H.265+ • 3072 × 2048@20fps • 2.7mm-13.5mm Motorized • Color 0.03 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot, up to 128GB • Audio I/O, Alarm I/O	• 6MP • H.265+ • 3072 × 2048@20fps • 2.7mm-13.5mm Motorized • Color 0.03 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot, up to 128GB • Audio I/O, Alarm I/O	• 8MP/ 4K • H.265+ • 3840 × 2160@15fps • 2.7mm-12mm Motorized • Color 0.05 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • MicroSD Slot, up to 128GB • Built-in Mic	• 8MP/ 4K • H.265+ • 3840 × 2160@15fps • 2.7mm-12mm Motorized • Color 0.05 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot, up to 128GB • Audio I/O, Alarm I/O	• 8MP/ 4K • H.265+ • 3840 × 2160@15fps • 2.7mm-12mm Motorized • Color 0.05 lux, BW 0 lux • IR LED up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot, up to 128GB • Audio I/O, Alarm I/O
Junction Box Included Wall Mount : PFB203W	Junction Box Included	Junction Box Included	Junction Box Included Wall Mount : PFB203W	Junction Box Included Wall Mount : PFB203W	Junction Box Included

Accessories

PFA13A-E	PFA136	PFA134	PFA130-E	PFA137	PFA139	PFB203W	PFB204W
							
Junction Box for LTDHCT26XX, LTDHCT36XX	Junction Box for LTDHIP76XX, LTDHCD76XX	Junction Box for LTDHIP8652W-36, LTDHCR66XX	Junction Box for LTDHIP8682, 8662, 3682, 3662, 3252, DHCT3642	Junction Box for LTDHIP39222W, LTDHIP75XXW	Junction Box for LTDHIP3942W	Wall Mount Bracket for LTDHIP76XX, LTDHIP36XX, LTDHCT36XX, LTDHCT26XX	Wall Mount Bracket for LTDHIP36XX, LTDHCT36XX, LTDHCT26XX

5-in-1 DVR Supports All Video Formats



Penta-Brid Digital Video Recorder

LTD3104C-PL	LTD3108C-PL	LTD3216C-PL
		
 	 	 
• 4 CH Penta Brid DVR • H.265+ • 24Mbps Bandwidth Max • Resolution: 4M-N/1080P • 4CH Analog + 2CH IP • 15fps @1080P • Max IP Resolution: 6MP • CVI/ TVI/ AHD/Analog Video Input • 1 SATA up to 10TB • Alarm over coaxial • 100M, 1 Network Port	• 8 CH Penta Brid DVR • H.265+ • 48Mbps Bandwidth Max • Resolution: 4M-N/1080P • 8CH Analog + 4CH IP • 15fps @1080P • Max IP Resolution: 6MP • CVI/ TVI/ AHD/Analog Video Input • 1 SATA up to 10TB • Alarm over coaxial • 100M, 1 Network Port	• 16 CH Penta Brid DVR • H.265+ • 200MB Bandwidth Max • Resolution: 4M-N/1080P • 16CH Analog + 8CH IP • 15fps @1080P • Max IP Resolution: 6MP • CVI/ TVI/ AHD/Analog Video Input • 2 SATA up to 20TB • Alarm over coaxial • 100M, 1 Network Port

LTD5104C-KL	LTD5208K-KL	LTD5216K-KL	LTD5432K-KL
			 
  	  	  	 
• 4 CH 4K Penta Brid DVR • H.265+ • 24Mbps Bandwidth Max • Resolution: 8MP/ 4K • 4CH Analog + 2CH IP • 30fps@1080P, 15fps@4MP • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 1 SATA up to 10TB • Alarm over coaxial • 100M, 1 Network Port	• 8 CH 4K Penta Brid DVR • H.265+ • 48Mbps Bandwidth Max • Resolution: 8MP/ 4K • 8CH Analog + 4CH IP • 30fps@1080P, 15fps@4MP • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 2 SATA up to 20TB • Alarm over coaxial • 1000M, 1 Network Port	• 16 CH 4K Penta Brid DVR • H.265+ • 48Mbps Bandwidth Max • Resolution: 8MP/ 4K • 16CH Analog + 8CH IP • 30fps@1080P, 15fps@4MP • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 2 SATA up to 20TB • Alarm over coaxial • 1000M, 1 Network Port	• 32 CH Penta Brid DVR • H.265+ • 128Mbps Bandwidth Max • Resolution: 5MP • 32CH Analog/ 32CH IP Adjustable • 30fps@1080P, 12fps@5MP • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 4 SATA up to 40TB • Alarm I/O: 16 / 6 • 1000M, 1 Network Port




True Night Color (HD-CVI Camera)

Maintain a True Color Image even in severe low-light conditions

Key Features

- True Night Color
- CVI/TVI/AHD/Analog
- 4-in-1 Switchable
- Built-in Mic

LTDHCR6622W-36ISCF	LTDHCT3622W-36ISCF	LTDHCR6652W-36ISCF	LTDHCT3652W-36ISCF
 NEW    • 2MP • 1920 × 1080P@30fps, 3.6mm Fixed Lens • Color 0.05 lux, BW 0 lux, LED up to 66ft • WDR, 2D NR, BLC, IP67, DC 12V Junction Box : PFA134	 NEW    • 2MP • 1920 × 1080P@30fps, 3.6mm Fixed Lens • Color 0.05 lux, BW 0 lux, LED up to 130ft • WDR, 2D NR, BLC, IP67, DC 12V Junction Box : PFA130-E Wall Mount : PFB204W	 NEW    • 5MP • 2592 × 1944P@20fps, 3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux, LED up to 66ft • WDR, 2D NR, BLC, IP67, DC 12V Junction Box : PFA134	 NEW    • 5MP • 2592 × 1944P@20fps, 3.6mm Fixed Lens • Color 0.05 lux, BW 0 lux, LED up to 130ft • WDR, 2D NR, BLC, IP67, DC 12V Junction Box : PFA130-E Wall Mount : PFB204W

Vari-focal Lens HD-CVI Camera

LTDHCT2623	LTDHCD7623	LTDHCR9623	LTDHCT2643	LTDHCD7643	LTDHCR9643
  • 2MP • 1920 × 1080P@30fps • 2.7mm-13.5mm VF lens • Color 0.02 lux, BW 0 lux • IR LED up to 98ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR • BLC, IP67, DC 12V Junction Box : PFA13C Wall Mount : PFB204W	  • 2MP • 1920 × 1080P@30fps • 2.7mm-13.5mm VF lens • Color 0.02 lux, BW 0 lux • IR LED up to 98ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR • BLC, IP67, IK10, DC 12V Junction Box Included Wall Mount : PFB203W	  • 2MP • 1920 × 1080P@30fps • 2.7mm-13.5mm VF lens • Color 0.02 lux, BW 0 lux • IR LED up to 197ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR • BLC, IP67, DC 12V Junction Box Included	  • 4MP • 2560 × 1440P@30fps • 2.7mm-13.5mm VF lens • Color 0.03 lux, BW 0 lux • IR LED up to 98ft • CVI/Analog • DWDR, 2D DNR • BLC, IP67, DC 12V Junction Box : PFA13C Wall Mount : PFB204W	  • 4MP • 2560 × 1440P@30fps • 2.7mm-13.5mm VF lens • Color 0.03 lux, BW 0 lux • IR LED up to 98ft • CVI/Analog • DWDR, 2D DNR • BLC, IP67, IK10, DC 12V Junction Box Included Wall Mount : PFB203W	  • 4MP • 2560 × 1440P@30fps • 2.7mm-13.5mm VF lens • Color 0.03 lux, BW 0 lux • IR LED up to 197ft • CVI/Analog • DWDR, 2D DNR • BLC IP67, DC 12V Junction Box Included

Fixed Lens HD-CVI Camera

LTDHCR6622-28 LTDHCR6622-36	LTDHCR6122-28PIR	LTDHCR6142-28PIR	LTDHCR6642-28 LTDHCR6642-36
  • 2MP • 1920 × 1080P@30fps • 2.8/3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux, IR LED up to 66ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67, DC 12V • 33ft Passive Infrared Junction Box : PFA134	   • 2MP • 1920 × 1080P@30fps • 2.8mm Fixed Lens • Color 0.02 lux, BW 0 lux, IR LED up to 66ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67, DC 12V • 33ft Passive Infrared	  • 4MP • 2560 × 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux, IR LED up to 66ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67, DC 12V Junction Box : PFA134	  • 4MP • 2560 × 1440P@30fps • 2.8mm Fixed Lens • Color 0.03 lux, BW 0 lux, IR LED up to 66ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67, DC 12V • 33ft Passive Infrared

Network Video Recorder

NVR-P16-4VA	NVR-P16-4VA NVR-P16-16P-4VA	NVR-P32-4VA NVR-P32-16P-4VA
• 16 CH 4K NVR • No Built-in PoE/16 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/VGA(1920x1080) • 4 SATA up to 24TB • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 4 • 10/100/1000M, 2 Network Port	• 16 CH 4K NVR • No Built-in PoE/16 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/VGA(1920x1080) • 4 SATA up to 24TB • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 4 • 10/100/1000M, 1 Network Port	• 32 CH 4K NVR • No Built-in PoE/16 Built-in PoE • H.265/H.264 • 200MB Bandwidth Max • Resolution: 8MP/ 4K • HDMI(4K: 3840x2160)/VGA(1920x1080) • 4 SATA up to 24TB • Audio I/O, 1CH/1CH, RCA • Alarm I/O: 16 / 4 • 10/100/1000M, 2/1 Network Port

Penta-brid Digital Video Recorder

PVR-P4-1VC	PVR-P8-1VC	PVR-P16-2VC
• 4 CH Penta Brid DVR • H.265+ • 24Mbps Bandwidth Max • Resolution: 4M-N/1080P • 4CH Analog + 2CH IP • 15fps @1080P • Max IP Resolution: 6MP • CVI/ TVI/ AHD/Analog Video Input • 1 SATA up to 10TB • Alarm over coaxial • 100M, 1 Network Port	• 8 CH Penta Brid DVR • H.265+ • 48Mbps Bandwidth Max • Resolution: 4M-N/1080P • 8CH Analog + 4CH IP • 15fps @1080P • Max IP Resolution: 6MP • CVI/ TVI/ AHD/Analog Video Input • 1 SATA up to 10TB • Alarm over coaxial • 100M, 1 Network Port	• 16 CH Penta Brid DVR • H.265+ • 200MB Bandwidth Max • Resolution: 4M-N/1080P • 16CH Analog + 8CH IP • 15fps @1080P • Max IP Resolution: 6MP • CVI/ TVI/ AHD/Analog Video Input • 2 SATA up to 20TB • Alarm over coaxial • 100M, 1 Network Port

PVR-P4-1VD	PVR-P8-2VD	PVR-P16-2VD
• 4 CH 4K Penta Brid DVR • H.265+ • 24Mbps Bandwidth Max • Resolution: 8MP/ 4K • 4CH Analog + 2CH IP • 30fps@1080P;15fps@4MP;7fps@4K • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 1 SATA up to 10TB • Alarm over coaxial • 100M, 1 Network Port	• 8 CH 4K Penta Brid DVR • H.265+ • 48Mbps Bandwidth Max • Resolution: 8MP/ 4K • 8CH Analog + 4CH IP • 30fps@1080P;15fps@4MP;7fps@4K • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 2 SATA up to 20TB • Alarm over coaxial • 1000M, 1 Network Port	• 16 CH 4K Penta Brid DVR • H.265+ • 48Mbps Bandwidth Max • Resolution: 8MP/ 4K • 16CH Analog + 8CH IP • 30fps@1080P;15fps@4MP;7fps@4K • Max IP Resolution: 8MP • CVI/ TVI/ AHD/Analog Video Input • 2 SATA up to 20TB • Alarm over coaxial • 1000M, 1 Network Port

Smart Phone Connectivity

- Easy P2P
- Supports push notification
- Multi-user with different permission levels



Fixed Lens IP Camera

IP-5BL-F36-SAL	IP-5EB-F28-SAL IP-5EB-F36-SAL	IP-6BL-F28-PAL IP-6BL-F36-PAL	IP-6DM-F28-PAL IP-6DM-F36-PAL	IP-6EB-F28-PAL IP-6EB-F36-PAL	IP-8BL-F28-PBL IP-8BL-F40-PBL
H.265+ TRUE WDR	H.265+ TRUE WDR	H.265+ TRUE WDR SD	H.265+ TRUE WDR SD	H.265+ TRUE WDR SD	H.265+ TRUE WDR SD 4K
• 5MP • H.265+ • 2592x1944@20fps • 3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67 • IVS	• 5MP • H.265+ • 2592x1944@20fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67 • IVS	• 6MP • H.265+ • 3072 X 2048@20fps • 2.8/3.6mm Fixed Lens • Color 0.04 lux, BW 0 lux • IR Range up to 131ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS • MicroSD Slot 128GB	• 6MP • H.265+ • 3072 X 2048@20fps • 2.8/3.6mm Fixed Lens • Color 0.04 lux, BW 0 lux • IR Range up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Audio I/O: 1/1, Alarm I/O: 1/1	• 6MP • H.265+ • 3072 X 2048@20fps • 2.8/3.6mm Fixed Lens • Color 0.04 lux, BW 0 lux • IR Range up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Built-in Mic	• 8MP/ 4K • H.265+ • 3840 X 2160@15fps • 2.8/4.0mm Fixed Lens • Color 0.06 lux, BW 0 lux • IR Range up to 131ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • MicroSD Slot 128GB
Junction Box : PFA13C4	Junction Box: PFA130-E/PFA13A-E Wall Mount : PFB204W	Junction Box : PFA130-E	Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA130-E Wall Mount : PFB204W	Junction Box : PFA130-E

Fixed Lens IP Camera

IP-8DM-F40-PAL	IP-8EB-F28-PAL IP-8EB-F40-PAL
H.265+ TRUE WDR SD 4K	H.265+ TRUE WDR SD 4K
• 8MP/ 4K • H.265+ • 3840 X 2160@15fps • 4.0mm Fixed Lens • Color 0.06 lux, BW 0 lux • IR Range up to 98ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Audio I/O: 1/1, Alarm I/O: 1/1	• 8MP/ 4K • H.265+ • 3840 X 2160@15fps • 2.8/4.0mm Fixed Lens • Color 0.06 lux, BW 0 lux • IR Range up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Built-in Mic
Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA130-E Wall Mount : PFB204W

Motorized Lens IP Camera

IP-6EB-MVF-PAL	IP-6DM-MVF-PA	IP-8EB-MVF-PAL	IP-8DM-MVF-PAL
H.265+ TRUE WDR SD Auto (Focus) 4K	H.265+ TRUE WDR SD Auto (Focus)	H.265+ TRUE WDR SD Auto (Focus) 4K	H.265+ TRUE WDR SD Auto (Focus) 4K
• 6MP • H.265+ • 3072 X 2048@20fps • 2.7mm-13.5mm Motorized • Color 0.03 lux, BW 0 lux • IR Range up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Built-in Mic	• 6MP • H.265+ • 3072 X 2048@20fps • 2.7mm-13.5mm Motorized • Color 0.03 lux, BW 0 lux • IR Range up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Audio I/O: 1/1, Alarm I/O: 1/1	• 8MP/ 4K • H.265+ • 3840 X 2160@15/ps • 2.7mm-12mm Motorized • Color 0.05 lux, BW 0 lux • IR Range up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67 • ePoE, IVS, Face Detection • MicroSD Slot 128GB • Built-in Mic	• 8MP/ 4K • H.265+ • 3840 X 2160@15fps • 2.7mm-12mm Motorized • Color 0.05 lux, BW 0 lux • IR Range up to 164ft • True WDR 120dB, 3D DNR • BLC, IP67, IK10 • ePoE, IVS, Face Detection • MicroSD 128GB • Audio I/O: 1/1, Alarm I/O: 1/1
Junction Box Included Wall Mount : PFB203W	Junction Box Included	Junction Box Included Wall Mount : PFB203W	Junction Box Included Wall Mount : PFB203W

Fixed Lens HD-CVI Camera

HC-2DM-F28-SAL HC-2DM-F36-SAL	HC-2BL-F28-SBL HC-2BL-F36-SBL	HC-2ME-F28-SA	HC-2EB-F28-SAL HC-2EB-F36-SAL
			
			
• 2MP • 1920 x 1080P@30fps • 2.8/3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux • IR Range up to 98ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67, IK10 • DC 12V, Dual Video Switchable	• 2MP • 1920 x 1080P@30fps • 2.8/3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux • IR Range up to 66ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 2MP • 1920 x 1080P@30fps • 2.8mm Fixed Lens • Color 0.02 lux, BW 0 lux • IR Range up to 66ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67 • 33ft Passive Infrared	• 2MP • 1920 x 1080P@30fps • 2.8/3.6mm Fixed Lens • Color 0.02 lux, BW 0 lux • IR Range up to 98ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable
Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA134		Junction Box : PFA130-E Wall Mount : PFB204W



HC-4DM-F28-SAL HC-4DM-F36-SAL	HC-4BL-F28-SBL HC-4BL-F36-SBL	HC-4EB-F28-SBL HC-4EB-F36-SBL	HC-4ME-F28-SA	HC-4EB-F28-SAL HC-4EB-F36-SAL
				
				
• 4MP • 2560 x 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67, IK10 • DC 12V, Dual Video Switchable	• 4MP • 2560 x 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 66ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 4MP • 2560 x 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 164ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 4MP • 2560 x 1440P@30fps • 2.8mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 66ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67 • 33ft Passive Infrared	• 4MP • 2560 x 1440P@30fps • 2.8/3.6mm Fixed Lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable
Junction Box : PFA136 Wall Mount : PFB203W	Junction Box : PFA134	Junction Box : PFA130-E Wall Mount : PFB204W		Junction Box : PFA130-E Wall Mount : PFB204W

Vari-focal Lens HD-CVI Camera

HC-2BL-VF-SAL	HC-2EB-VF-SAL	HC-2DM-VF-SAL	HC-4BL-VF-SBL	HC-4EB-VF-SAL	HC-4DM-VF-SBL
					
					
• 2MP • 1920 x 1080P@30fps • 2.7mm-13.5mm VF lens • Color 0.02 lux, BW 0 lux • IR Range up to 197ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 2MP • 1920 x 1080P@30fps • 2.7mm-12mm VF lens • Color 0.02 lux, BW 0 lux • IR Range up to 98ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 2MP • H1920 x 1080P@30fps • 2.7mm-13.5mm VF lens • Color 0.02 lux, BW 0 lux • IR Range up to 98ft • CVI/TVI/AHD/Analog • DWDR, 2D DNR, BLC, IP67, IK10 • DC 12V, Dual Video Switchable	• 4MP • 2560 x 1440P@30fps • 2.7mm-13.5mm VF lens • Color 0.03 lux, BW 0 lux • IR Range up to 197ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 4MP • 2560 x 1440P@30fps • 2.7mm-13.5mm VF lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67 • DC 12V, Dual Video Switchable	• 4MP • 2560 x 1440P@30fps • 2.7mm-13.5mm VF lens • Color 0.03 lux, BW 0 lux • IR Range up to 98ft • CVI/Analog • DWDR, 2D DNR, BLC, IP67, IK10 • DC 12V, Dual Video Switchable
Junction Box Included	Junction Box : PFA13C Wall Mount : PFB204W	Junction Box Included Wall Mount : PFB203W	Junction Box Included	Junction Box : PFA13C Wall Mount : PFB204W	Junction Box Included Wall Mount : PFB203W



Total Solutions for Security Professionals

California - Los Angeles

18738 San Jose Ave.
City of Industry, CA 91748
Toll Free: 888-587-5871
Tel: 626-435-2838
Email: Support.LosAngeles@LTSecurityinc.com
Sales Office: 8:30am - 6pm (PST): MON - FRI
En LTS California hablamos español

California - Santa Ana

630 S. Grand Ave. #106
Santa Ana, CA 92705
Tel: 657-999-5557
Email: Support.LosAngeles@LTSecurityinc.com
Sales Office: 9am - 6pm (PST): MON - FRI

California - San Francisco

38507 Cherry St. Suite G
Newark, CA 94560
Toll Free: 888-216-2812
Tel: 510-201-9868
Email: Support.SanFrancisco@LTSecurityinc.com
Sales Office: 9am - 6pm (PST): MON - FRI

Arizona

4141 S. 36th St, Suite 150
Phoenix, AZ 85040
Toll Free: 877-284-2890
Tel: 602-903-2220
Email: Support.AZ@LTSecurityinc.com
Sales Office: 8:30am - 5:30pm (MST): MON - FRI
En LTS Arizona hablamos español

Washington

6412 S 196th St
Kent, WA 98032
Sales Office: 8:30am - 6pm (PST): MON - FRI
GRAND OPENING! - Spring 2019

Pennsylvania

827 Lincoln Ave Suite B-11
West Chester, PA 19380
Tel: 484-303-4070
Email: Sales.PA@LTSecurityinc.com
Sales Office: 8:30am - 6pm (EST): MON - FRI

Texas - Houston

8634 Westpark Dr.
Houston, TX 77063
Tel: 713-587-1800
Email: Support.Houston@LTSecurityinc.com
Sales Office: 8:30am - 6pm (CST): MON - FRI
En LTS Houston hablamos español

Texas - Dallas

1100 Valwood Pkwy., Suite 112
Carrollton, TX 75006
Tel: 469-289-5780
Email: Support.Dallas@LTSecurityinc.com
Sales Office: 8am - 5pm (CST): MON - FRI
En LTS Dallas hablamos español

Texas - Plano

6905 K Ave. Suite 211
Plano, TX 75074
Tel: 972-360-9870
Email: Support.Dallas@LTSecurityinc.com
Sales Office: 8am - 5pm (CST): MON - FRI

Illinois

1459 Elmhurst Rd.
Elk Grove Village, IL 60007
Tel: 630-348-8088
Email: Support.Chicago@LTSecurityinc.com
Sales Office: 9am - 6pm (CST): MON - FRI
En LTS Illinois hablamos español

Illinois - Chicago

2463 S Archer Ave.
Chicago, IL 60616
Tel: 312-800-0766
Email: Support.Chicago@LTSecurityinc.com
Sales Office: 8:30am - 5:30pm (CST): MON - FRI
En LTS Illinois hablamos español

Florida - Miami

8400 NW 25th St., Suite 110
Miami, FL 33122
Tel: 786-693-1813
Email: Support.Florida@LTSecurityinc.com
Sales Office: 8:30am - 6pm (EST): MON - FRI
En LTS Florida hablamos español

Florida - Orlando

807 S. Orlando Ave., Suite K
Winter Park, FL 32789
Tel: 786-693-1813
Email: Support.Florida@LTSecurityinc.com
Sales Office: 8am - 5pm (EST): MON - FRI
En LTS Florida hablamos español

New Jersey - Mount Laurel

109 West Park Dr., Suite C
Mount Laurel, NJ 08054
Toll Free: 855-835-8889
Tel: 856-780-9888
Email: Support.NewJersey@LTSecurityinc.com
Sales Office: 8:30am - 6pm (EST): MON - FRI
En LTS New Jersey hablamos español

North Jersey - Pine Brook

16 Chapin Road, Unit 905
Pine Brook, NJ 07058
Tel: 973-287-4427
Email: Support.PBNJ@LTSecurityinc.com
Sales Office: 8:30am - 6pm (EST): MON - FRI

New York

99 Seaview Blvd., Suite 1B
Port Washington, NY 11050
Toll Free: 888-517-3102
Tel: 646-558-3888
Email: Support.NewYork@LTSecurityinc.com
Sales Office: 9am - 6pm (EST): MON - FRI

Maryland

4501 Forbes Blvd., Suite I
Lanham, MD 20706
Tel: 240-493-8988
Email: Support.Maryland@LTSecurityinc.com
Sales Office: 8am - 5pm (EST): MON - FRI
En LTS Maryland hablamos español

Georgia

5933 Peachtree Industrial Blvd, Suite B
Norcross, GA 30092
Tel: 678-710-3788
Email: Support.GA@LTSecurityinc.com
Sales Office: 9am - 6pm (EST): MON - FRI

Virginia

5710 STE F General Washington Drive
Alexandria, VA 22312
Tel: 703-997-5295
Email: Support.Virginia@LTSecurityinc.com
Sales Office: 8am - 5pm (EST): MON - FRI



Locations Coming Soon!

Tampa - Florida, Austin - Texas,
Memphis - Tennessee, Nashville - Tennessee